



- Porphyromonas sp.\_oral\_taxon\_279
- Haemophilus parainfluenzae
- Parvimonas micra
- Streptococcus anginosus
- Prevotella maculosa
- Fusobacterium nucleatum\_subsp.\_polymorphum
- Fretibacterium fastidiosum
- Prevotella marshii
- Streptococcus sp.\_Oral\_Taxon\_H21
- Streptococcus cristatus
- Alloprevotella rava
- Veillonella parvula\_group
- Peptostreptococcaceae\_[XI][G-7] [Eubacterium]\_yurii\_subsp.\_yurii
- Porphyromonas sp.\_oral\_taxon\_278
- Alloprevotella sp.\_oral\_taxon\_308
- Campylobacter concisus
- Streptococcus tigurinus
- Eubacterium\_[XI][G-7] yurii
- Anaeroglobus geminatus
- Selenomonas sp.\_Oral\_Taxon\_H64
- Selenomonas sp.\_Oral\_Taxon\_E83
- Streptococcus gordonii
- Porphyromonas endodontalis
- Fusobacterium nucleatum\_subsp.\_vincentii
- Campylobacter showae
- Streptococcus dentisani
- Solobacterium moorei
- Streptococcus sp.\_oral\_taxon\_064
- Prevotella sp.\_oral\_taxon\_317
- Abiotrophia defectiva
- Streptococcus sanguinis
- Campylobacter curvus
- Capnocytophaga gingivalis
- Eikenella corrodens
- Prevotella oulorum
- Fusobacterium nucleatum\_subsp.\_animalis
- Porphyromonas sp.\_oral\_taxon\_275
- Selenomonas diana
- Prevotella baroniae
- Catonella morbi
- Oribacterium sp.\_oral\_taxon\_078
- Streptococcus parasanguinis\_II
- Selenomonas infelix
- Prevotella denticola
- Prevotella oralis
- Alloprevotella tannerae
- Streptococcus mitis
- Alloprevotella sp.\_oral\_taxon\_473
- Selenomonas sp.\_oral\_taxon\_138
- Streptococcus sp.\_oral\_taxon\_058
- Porphyromonas gingivalis
- Oribacterium sinus
- Selenomonas artemidis
- Gemella morbillorum
- Streptococcus constellatus
- Selenomonas sputigena
- Atopobium rimae
- Dialister pneumosintes
- Bacteroidales\_[G-2] sp.\_oral\_taxon\_274
- Streptococcus sp.\_oral\_taxon\_423
- Selenomonas sp.\_oral\_taxon\_919
- Prevotella intermedia
- Streptococcus sp.\_oral\_taxon\_070
- Selenomonas sp.\_oral\_taxon\_136
- Capnocytophaga sputigena
- Lautropia mirabilis
- Fusobacterium sp.\_HOT\_204
- Granulicatella adiacens
- Parvimonas sp.\_oral\_taxon\_110
- Stomatobaculum longum
- Fretibacterium sp.\_oral\_taxon\_360
- Actinomyces sp.\_oral\_taxon\_180
- Bacteroidaceae\_[G-1] sp.\_oral\_taxon\_272
- Bilophila wadsworthia
- Megasphaera sp.\_oral\_taxon\_123
- Dialister invisus
- Selenomonas sp.\_oral\_taxon\_149
- Porphyromonas sp.\_Oral\_Taxon\_F92
- Fusobacterium periodonticum
- Selenomonas sp.\_oral\_taxon\_892
- Porphyromonas sp.\_oral\_taxon\_279\_nov\_97.500%
- Selenomonas diana\_nov\_97.500%
- Fusobacterium nucleatum\_subsp.\_nucleatum\_nov\_91.638%
- Campylobacter concisus\_nov\_96.099%
- Bacteroides heparinolyticus\_nov\_95.745%
- Campylobacter rectus\_nov\_97.518%
- Fusobacterium nucleatum\_subsp.\_nucleatum\_nov\_91.289%
- Fusobacterium necrophorum\_nov\_75.089%
- Selenomonas infelix\_nov\_96.786%
- Peptostreptococcaceae\_[XI][G-7] [Eubacterium]\_yurii\_subsp.\_schitt
- Selenomonas diana\_nov\_97.527%
- Fusobacterium nucleatum\_subsp.\_nucleatum\_nov\_93.031%
- Alloprevotella sp.\_oral\_taxon\_473\_nov\_97.153%
- Selenomonas sp.\_oral\_taxon\_481\_nov\_96.786%
- Selenomonas artemidis\_nov\_97.857%
- Fusobacterium naviforme\_nucleatum\_subsp.\_vincentii
- Selenomonas noxia\_sp.\_oral\_taxon\_937
- Aggregatibacter segnis\_sp.\_oral\_taxon\_513
- Streptococcus multispecies\_sppn1\_2\_nov\_97.509%
- Selenomonas multispecies\_sppn2\_3\_nov\_97.500%

Species

Samples